


RED RIVER ARENAS.com

“Spend Less, Get More!”

800-343-1026

NOTE: MAKE SURE VIRTICLE PANEL BRACES ARE OUTSIDE OF ARENA




40' x 300' w/o RETURN EXCAVATION AREA

MINIMUM EXCAVATION AREA IS 40'-0" BY 336'-1"



- 1 Start by staking out the Arena Area (40'-0" by 326'-1") to use as a guideline for panels.

NOTE: IF EXCAVATION EXCEEDS THE GIVEN DIMENSIONS OWNER WILL NEED TO COMPENSATE ACCORDINGLY




40' x 300' w/o RETURN CALF ROPING CHUTE LOCATION

② Position the FRONT Corner (A) of the Chute at the dimension shown below:



EXTENSION TO CHUTE CONNECTION




ROPING CHUTE LEFT SIDE


CALF EXTENSION

STANDING BEHIND THE CHUTE
EXTENSION TO LEFT SIDE CHUTE CONNECTION

PANELS TO EXTENSION 3 WAY CONNECTION



EXTENSION LEFT SIDE
3-WAY CONNECTION



DETAIL B


PANELS TO EXTENSION USING POST C1

PANEL TO PANEL CONNECTION

(SPOOL TO PIN)

SPOOL TO PIN PANEL CONNECTION

1. SLIGHTLY TILT UNCONNECTED PANEL AND PLACE BOTTOM SPOOL OVER OTHER PANELS BOTTOM PIN.
2. LIFT TOP PIN AND POSITION PANEL SPOOL UNDER PIN SIDE AND RELEASE PIN.
3. PANEL SHOULD NOW BE CONNECTED. YOU CAN ADJUST ONE PANEL 90° FOR BALANCE.



NOTE: WHEN PLACING PANELS - THE PANEL BRACE BAR FACES OUTSIDE OF THE ARENA AREA

SPOOL TO PIN PANEL TO PANEL CONNECTION