

RED RIVER ARENAS.com

“Spend Less, Get More!”


800-343-1026

140 X 240 W/RETURN EXCAVATION AREA

MINIMUM EXCAVATION AREA IS 150'-0" BY 258'-0"



- 1 Start by staking out the Arena Area (140'-0" by 240'-0") to use as a guideline for panels.

NOTE: IF EXCAVATION EXCEEDS THE GIVEN DIMENSIONS OWNER
WILL NEED TO COMPENSATE ACCORDINGLY



140 X 240 w/ RETURN ROPING CHUTE LOCATION


② Position the BACK Corner (A) of the Roping Chute at the dimension shown below.



CHUTE TO PANEL w/ CHAINS

- 1.) Place PANEL with BRACE (A) inside chute lane
- 2.) Run CHAIN from PANEL through ROPING CHUTE SPOOLS (B) and latch (C) to chain keeper.

NOTE: ROPING CHUTE LEFT SIDE AND PANEL SHOULD LINE UP WITH ONE ANOTHER.




STANDING AT HEAD BOX SIDE OF THE CHUTE

CHUTE TO PANEL w/ CHAINS

- 1.) Place PANEL with BRACE **A** inside chute lane
- 2.) Run CHAIN from PANEL through ROPING CHUTE SPOOLS **B** and latch **C** to chain keeper.

NOTE: ROPING CHUTE LEFT SIDE AND PANEL SHOULD LINE UP WITH ONE ANOTHER.




PANEL w/ DBL CHAINS
(CHAINS ON BOTH SIDES OF PANEL)

ROPING CHUTE RIGHT SIDE


STANDING AT HEEL BOX SIDE OF THE CHUTE

PANEL TO PANEL CONNECTION



NOTE: WHEN PLACING PANELS - THE PANEL BRACE BAR FACES INSIDE OF THE ARENA AREA AND POST ARE OUTSIDE OF ARENA

PANEL TO STRIPPING CHUTE CONNECTION w/ POST S1



PANEL TO STRIPPING CHUTE CONNECTION